

Ontario's Publicly Funded Immunization Schedule













Age at vaccination	Vaccine														
	Diphtheria	Tetanus	Pertussis	Polio	Haemophilus B (Hib)	Pneumococcal-C	Rotavirus	Measles	Mumps	Rubella	Varicella (Chickenpox) [^]	Meningococcal -C	Meningococcal -ACYW	Hepatitis B	Human Papillomavirus
2 months	✓	✓	✓	✓	✓	✓	✓								
4 months	✓	✓	✓	✓	✓	✓	✓								
6 months	✓	✓	✓	✓	✓		✓ ^{**}								
12 months* <small>On or after 1st birthday</small>						✓		✓	✓	✓		✓			
15 months											✓				
18 months	✓	✓	✓	✓	✓										
4-6 years* <small>On or after 4th birthday</small>	✓	✓	✓	✓				✓	✓	✓	✓				
Grade 7													✓	✓	✓
14-16 years	✓	✓	✓												

- ▶ Boxes filled with the same colour are given as one single needle.
- ▶ Vaccines seen in **YELLOW** above are required for school attendance under the Immunization of School Pupils Act (ISPA).
- ▶ Vaccines should be given at the correct ages as improper spacing may require doses to be repeated.

* Starred age groups require that the vaccines be administered on or after the child's 1st or 4th birthday or they may not be valid for school attendance.

[^] Children born on or after January 1, 2010 must be immunized against Varicella (Chickenpox) for school attendance. If a child has had Chickenpox infection, a valid medical exemption is required.

Common vaccine names

 Pediacel or Pentacel (DTaP-IPV-Hib)	 Pneu-C 13 or 15 (Prenar 13 or Vaxneuvance)	 Rotarix (Rota-1 - 2 doses) or ^{**} Rotateq (Rota-5 - 3 doses)	 Priorix or MMR II (MMR)	 Menjugate or NeisVac-C (Men C-C)	 Varivax III or Varilrix (Var)
 Adacel-polio or Boostrix-polio (Tdap-IPV)	 Priorix Tetra or Pro-Quad (MMRV)	 Menactra or Nimenrix (Men-C-ACYW-135)	 Engerix-B or Recombivax (HB) (2 doses 6 months apart)	 Gardasil 9 (HPV9) (2 doses 6 months apart)	 Adacel or Boostrix (Tdap)