

Assess 1	<p>Has the staff member had new or worsening symptoms (respiratory or gastrointestinal)?</p> <p>If yes: Continue to Step 2</p>
Isolate and Test 2	<ul style="list-style-type: none">• Staff should be sent home immediately and/or not enter the facility• Test staff as per facility policy and procedure
Manage 3	<p>Case Management</p> <p><u>Gastrointestinal</u></p> <p>Isolation: <i>Ill staff should remain off work until they are 48 hours symptom free</i></p> <ul style="list-style-type: none">• Check in with ill staff to determine when symptoms have resolved so they do not return too early <p>If facility is in outbreak:</p> <ul style="list-style-type: none">• Add ill staff to outbreak line list <p><u>Respiratory</u></p> <p>Isolation: <i>Ill staff should remain off work until they are fever free and signs/symptoms have been improving for at least 24 hours</i></p> <p>PPE: Staff to wear a well-fitting medical mask for 10 days from symptom onset.</p> <p>If facility is in outbreak:</p> <ul style="list-style-type: none">• Add ill staff and test results to outbreak line list <p><u>Influenza</u></p> <p>Isolation: <i>Staff who test positive should remain off work until they are fever free and symptoms have been improving for at least 24 hours</i></p> <p>PPE: Staff to wear a well-fitting medical mask for 10 days from symptom onset.</p> <p>If facility is in outbreak:</p> <ul style="list-style-type: none">• Add ill staff and test results to outbreak line list• Asymptomatic unvaccinated staff who refuse antivirals (Tamiflu), should remain off of work for the duration of the outbreak or until 2 weeks has passed since influenza vaccination. <p><u>COVID-19</u></p> <p>Isolation: <i>Staff who test positive should remain off work until they are fever free and symptoms have been improving for at least 24 hours or 48 hours if gastrointestinal symptoms present.</i></p> <p>In addition, for 10 days staff must:</p> <ul style="list-style-type: none">• Actively screen and report signs and symptoms prior to shift• Avoid caring for residents with highest risk of severe COVID-19 infection• Take unmasked breaks while physical distancing or in a separate break area• Be assigned to one area of the facility if possible <p>PPE: Staff are to wear an N95 or well-fitting medical mask for 10 days from symptom onset or positive test date whichever is sooner.</p> <p>If facility is in outbreak:</p> <ul style="list-style-type: none">• Add ill staff to outbreak line list